

PARALLEL DOUBLE ARM 20 MM

01993

Functions


The parallel arm enables opening of the sash of a curtain wall or an outward opening parallel to the fixed part of the curtain wall.

Finish

Base finish

Packaging

Box of 5 pair



Technical Features

The Dual Parallel Arm item 01993 is an arm which allows to open forward the outside the wing in parallel to the frame. It always needs to apply one arm for each wing side (total 4 pcs = 2 pairs).

This arm is generally used for an inward opening of a curtain wall.

The added value of this type of openable is aesthetic, since the curtain wall no longer has a "broken" reflection of the light, but maintains evenness between the openable surface and the fixed part.

Particularly strong and durable, the arm is made entirely from anti-corrosion AISI304 stainless steel. Sash opening can also be frictioned by means of the special screws on the sliding guides.

The article is suitable for application on profiles with sash/frame distance of 20÷21 mm.

Length	= 470 mm
Thickness	= 20 mm
Enclosure width	= 22 mm
Max. opening	= 180mm

According to the wing dimension and weight, it is possible matching the item 01993 to the single Arm item 01992, as indicated on chart. The item 01993 has been tested to 25.000 cycles of opening and closing.





In case of wings whose weight is higher > than 60kgs, or whose dimension are bigger > then 1250 x1250mm, it is necessary using an Opening/Closing boost system of the wing by motors.

Parts

Instruction sheets

Materials

Arm stainless steel AISI 304



MAX 2000

1250	MAX 200 Kg	MAX 200Kg
1000	MAX 110 Kg	MAX 200 Kg
500	MAX 100Kg	MAX 100Kg
500		MAX 2000